

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	safety\$1 near5 device\$1 and technical\$1 and emergency\$1 near5 activation\$1 and rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:26
L2	0	(safety\$1 near5 table\$1) and (medical\$1 near5 diagnostic\$1 or therapy\$1) and emergency\$1 near5 (actuat\$3 or activat\$3 or actuation\$1 or activation\$1) and rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:29
L3	5	(safety\$1 near5 table\$1) and (medical\$1 near5 diagnostic\$1 or therapy\$1) and emergency\$1 and (actuat\$3 or activat\$3 or actuation\$1 or activation\$1) and rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:29

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	804	patient\$1 near5 positioning\$1 near5 table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 18:28
L2	197	l1 and rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 18:30
L3	22	l2 and test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:05
L4	23	l2 and (test\$3 or on/off\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:06
L5	17	l4 and (activat\$3 or actuat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	patient\$1 near5 positioning\$1 near5 table\$1 with (e-stop\$1 near5 switch\$2 or dead\$1 near5 man\$1 near5 switch\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:48
L2	0	patient\$1 near5 positioning\$1 near5 table\$1 with (e-stop\$1 near5 switch\$1 or dead\$1 near5 man\$1 near5 switch\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:49
L3	3	(safety\$1 near5 table\$1 or patient\$1 near5 positioning\$1 near5 table\$1) and (e-stop\$1 near5 switch\$1 or dead\$1 near5 man\$1 near5 switch\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:50
L4	322	307/326.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 19:51
L5	8	I4 and (safety\$1 near5 table\$1 or patient\$1 near5 positioning\$1 near5 table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:17
L6	2	I5 and rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:18
L7	19	I4 and rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:20
L8	704	324/500.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:20

L9	14	l8 and rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:22
L10	0	340/S.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:22
L11	154412	"340"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:22
L12	3252	l11 and rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:23
L13	170	l12 and safety\$1 near5 device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:23
L14	1	l13 and emergency\$1 near5 activation\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:24
L15	3	l13 and (patient\$1 near5 table\$1 or safety\$1 near5 table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:32
L16	345	(patient\$1 near5 table\$1 or safety\$1 near5 table\$1) with rail\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:32

L17	34	l16 and (test\$3 or on/off\$1 near5 switch\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/12 20:33
-----	----	--	---	----	-----	------------------